



TEST REPORT

Send To: 05134*M
WISSAHICKON SPRING WATER, INC.
10447 DRUMMOND ROAD
PHILADELPHIA PA 19154
Attn: MR. ALBERT LEAR

Customer: 05130
WISSAHICKON SPRING WATER, INC.
10447 DRUMMOND ROAD
PHILADELPHIA PA 19154
Attn: MR. ALBERT D. LEAR


Plant: 05134
WISSAHICKON SPRING WATER, INC.
316 SOUTH FRONT STREET
HAMBURG PA 19526
Attn: MR. ALBERT LEAR

Product: 5 GALLON SPRING PRODUCT WATER
Test Type: AA - Annual Collection

Thank you for having your product tested by NSF.

The enclosed report details the result of the testing performed on your product. Your program representative will be contacting you in the near future if there are any remaining issues concerning the status of this product.

Please do not hesitate to contact us if you have any immediate questions pertaining to your product.

Reviewer: 
Kurtis Kneen - Director, Chemistry Laboratory

Status: **Compliant**

CC: Program: 300 - Bottled Water - Certification
Program Rep BECKIE DEMO
Region: 01 - Domestic
PA Project: 263093

General Information

Standard: 0BW - BOTTLED WATER - FDA REGULATIONS

Brand Name: Wissahickon
 Clients Name for Product: SPRING WATER
 Date and Time Collected: 12-01-06 15:22
 Sample Taken From: Carboy

Sample Id: **S-0000343582**
 Description: Spring Water 12-01-06 15:22
 Sampled Date: 12/04/2006
 Received Date: 12/04/2006

Testing Parameter	Result	Units	FDA Req.	P / F
Chemistry Lab				
* Odor, Threshold Number (Ref: EPA 140.1)				
Odor, Threshold	1	TON	3	Pass
Date Analyzed	04-DEC-2006			
2,3,7,8-TCDD by EPA1613A				
2,3,7,8-Tetrachlorodibenzo-p-dioxin	ND(10)	pg/L	30	Pass
Date Prepared	05-DEC-2006			
Date Analyzed	07-DEC-2006			
Chloride (Ref: EPA 300.0)				
Chloride	0.96	mg/L	250	Pass
Date Analyzed	04-DEC-2006			
Bromide (Ref: EPA 300.1)				
Bromide	12	ug/L		
Date Analyzed	04-DEC-2006			
Bromate (Ref: EPA 300.1)				
Bromate	ND(5)	ug/L	10	Pass
Date Analyzed	04-DEC-2006			
Nitrogen, Nitrate (Ref: EPA 300.0)				
Nitrogen, Nitrate	0.17	mg/L N	10	Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	1425			
Nitrogen, Nitrite (Ref: EPA 300.0)				
Nitrogen, Nitrite	ND(0.02)	mg/L N	1	Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	1425			
Sulfur, Sulfate (Ref: EPA 300.0)				
Sulfur, Sulfate	2.3	mg/L	250	Pass
Date Analyzed	04-DEC-2006			
Cyanide, Total (Ref: EPA 335.4)				
Cyanide, Total	ND(0.01)	mg/L	0.2	Pass
Date Analyzed	06-DEC-2006			
Phenolics, Total Recoverable (Ref: EPA 420.2)				
Phenolics	ND(0.001)	mg/L	0.001	Pass
Date Analyzed	05-DEC-2006			
Chlorite (Ref: EPA 300.1)				
Chlorite	ND(10)	ug/L	1000	Pass
Date Analyzed	04-DEC-2006			
Aluminum (Ref: EPA 200.8)				
Aluminum	0.02	mg/L	0.2	Pass
Date Analyzed	06-DEC-2006			
Arsenic in Drinking Water by ICPMS (Ref: EPA-200.8)				

Sample Id: **S-0000343582** (Cont'd)

Testing Parameter	Result	Units	FDA Req.	P / F
Chemistry Lab (Cont'd)				
Arsenic	ND(0.002)	mg/L	0.05	Pass
Date Analyzed	06-DEC-2006			
Barium in Drinking Water by ICPMS (Ref: EPA-200.8)				
Barium	0.03	mg/L	2	Pass
Date Analyzed	06-DEC-2006			
Beryllium in Drinking Water by ICPMS (Ref: EPA-200.8)				
Beryllium	ND(0.0005)	mg/L	0.004	Pass
Date Analyzed	06-DEC-2006			
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)				
Calcium	7.2	mg/L		
Date Analyzed	06-DEC-2006			
Cadmium in Drinking Water by ICPMS (Ref: EPA-200.8)				
Cadmium	ND(0.0003)	mg/L	0.005	Pass
Date Analyzed	06-DEC-2006			
Chromium in Drinking Water by ICPMS (Ref: EPA-200.8)				
Chromium (includes Hexavalent Chromium)	ND(0.001)	mg/L	0.1	Pass
Date Analyzed	06-DEC-2006			
Copper in Drinking Water by ICPMS (Ref: EPA-200.8)				
Copper	ND(0.002)	mg/L	1	Pass
Date Analyzed	06-DEC-2006			
Iron in Drinking Water by ICAP (Ref: EPA-200.7)				
Iron	ND(0.02)	mg/L	0.3	Pass
Date Analyzed	06-DEC-2006			
Mercury in Drinking Water by ICPMS (Ref: EPA-200.8)				
Mercury	ND(0.0002)	mg/L	0.002	Pass
Date Analyzed	06-DEC-2006			
Potassium (Ref: EPA 200.7)				
Potassium	ND(0.5)	mg/L		
Date Analyzed	06-DEC-2006			
Magnesium in Drinking Water by ICAP (Ref: EPA-200.7)				
Magnesium	1.7	mg/L		
Date Analyzed	06-DEC-2006			
Manganese in Drinking Water by ICPMS (Ref: EPA-200.8)				
Manganese	ND(0.001)	mg/L	0.05	Pass
Date Analyzed	06-DEC-2006			
Sodium in Drinking Water by ICAP (Ref: EPA-200.7)				
Sodium	2.1	mg/L		
Date Analyzed	06-DEC-2006			
Nickel in Drinking Water by ICPMS (Ref: EPA-200.8)				
Nickel	ND(0.001)	mg/L	0.1	Pass
Date Analyzed	06-DEC-2006			
Lead in Drinking Water by ICPMS (Ref: EPA-200.8)				
Lead	ND(0.001)	mg/L	0.005	Pass
Date Analyzed	06-DEC-2006			
Antimony in Drinking Water by ICPMS (Ref: EPA-200.8)				
Antimony	ND(0.0006)	mg/L	0.006	Pass
Date Analyzed	06-DEC-2006			
Selenium in Drinking Water by ICPMS (Ref: EPA-200.8)				
Selenium	ND(0.004)	mg/L	0.05	Pass
Date Analyzed	06-DEC-2006			
Thallium in Drinking Water by ICPMS (Ref: EPA-200.8)				

Sample Id: **S-0000343582** (Cont'd)

Testing Parameter	Result	Units	FDA Req.	P / F
Chemistry Lab (Cont'd)				
Thallium	ND(0.0002)	mg/L	0.002	Pass
Date Analyzed	06-DEC-2006			
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)				
Zinc	ND(0.01)	mg/L	5	Pass
Date Analyzed	06-DEC-2006			
* Solids, Total Dissolved (Ref: EPA 160.1)				
Solids Total Dissolved	39	mg/L	500	Pass
Date Analyzed	05-DEC-2006			
Turbidity (Ref: EPA 180.1)				
Turbidity	0.3	NTU	5	Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	11:45			
* Surfactants, Methylene Blue Active Substances (Ref: SM5540.c)				
Surfactants (MBAS)	ND(0.2)	mg/L		Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	11:45			
* Color (Ref: EPA 110.2)				
Color	ND(5)	Color Unit	15	Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	11:40			
Specific Conductance (Ref: EPA 120.1)				
Specific Conductance	54	umhos/cm		
Date Analyzed	04-DEC-2006			
pH (Ref: EPA 150.1)				
pH	7.74			
Temperature	20	deg. C		
Date Analyzed	04-DEC-2006			
Time Analyzed	12:00			
* Hardness, Total, SM 2340C				
Hardness, Total	25	mg/LCaCO3		
* Chlorine, Total Residual (Ref: SM 4500-CLG)				
Chlorine, Total Residual	ND(0.05)	mg/L	4	Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	12:10			
* Chlorine Dioxide by SM 4500-ClO2-D				
Chlorine Dioxide	ND(0.1)	mg/L	0.8	Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	11:40			
* Chloramines by SM 4500-Cl-G				
Monochloramine	ND(0.05)	mg/L		
Dichloramine	ND(0.05)	mg/L		
Nitrogen trichloride	ND(0.05)	mg/L		
Chloramine, Total	ND(0.05)	mg/L	4	Pass
Date Analyzed	04-DEC-2006			
Time Analyzed	11:40			
Fluoride (Ref: SM 4500FC)				
Fluoride	ND(0.1)	mg/L	0.8	Pass
Date Analyzed	06-DEC-2006			
* Alkalinity, EPA 310.2				
Alkalinity as CaCO3	27	mg/LCaCO3		
Date analyzed	04-DEC-2006			

Sample Id: **S-0000343582** (Cont'd)

Testing Parameter	Result	Units	FDA Req.	P / F
Chemistry Lab (Cont'd)				
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)				
Silver	ND(0.001)	mg/L	0.1	Pass
Date Analyzed	06-DEC-2006			
* Corrosivity (Ref: SM 2330B)				
Corrosivity	-1.7			
Carbamate Pesticides (Ref: EPA 531.1)				
Aldicarb sulfoxide	ND(1)	ug/L		
Aldicarb sulfone	ND(1)	ug/L		
Oxamyl	ND(1)	ug/L	200	Pass
Aldicarb	ND(1)	ug/L		
Carbofuran	ND(1)	ug/L	40	Pass
Methomyl	ND(1)	ug/L		
Carbaryl	ND(1)	ug/L		
3-Hydroxycarbofuran	ND(1)	ug/L		
Date Analyzed	06-DEC-2006			
Diquat (Ref: EPA 549.2)				
Diquat	ND(0.5)	ug/L	20	Pass
Date Prepared	05-DEC-2006			
Date Analyzed	06-DEC-2006			
Endothall (Ref: EPA 548.1) - (ug/L)				
Endothall	ND(9)	ug/L	100	Pass
Date Prepared	06-DEC-2006			
Date Analyzed	06-DEC-2006			
Glyphosate (Ref: EPA 547)				
Glyphosate	ND(6)	ug/L	700	Pass
Date Analyzed	05-DEC-2006			
Haloacetic Acids (Ref: EPA 552.2)				
Monobromoacetic Acid	ND(1)	ug/L		
Monochloroacetic Acid	ND(2)	ug/L		
Dibromoacetic Acid	ND(1)	ug/L		
Dichloroacetic Acid	ND(1)	ug/L		
Trichloroacetic Acid	ND(1)	ug/L		
Bromochloroacetic Acid	ND(1)	ug/L		
Date Prepared	05-DEC-2006			
Date Analyzed	05-DEC-2006			
Haloacetic acid	ND(1)	ug/L		
Comment:	NELAC approved method			
Herbicides (Ref: EPA 515.3)				
Dalapon	ND(1)	ug/L	200	Pass
Dicamba	ND(0.1)	ug/L		
2,4-D	ND(0.1)	ug/L	70	Pass
Pentachlorophenol	ND(0.04)	ug/L	1	Pass
2,4,5-TP	ND(0.2)	ug/L	50	Pass
Dinoseb	ND(0.2)	ug/L	7	Pass
Picloram	ND(0.1)	ug/L	500	Pass
Bentazon	ND(0.2)	ug/L		
DCPA Acid Metabolites	ND(0.2)	ug/L		
Date Prepared	04-DEC-2006			
Date Analyzed	05-DEC-2006			
Multicomponent Pesticides and PCBs (Ref: EPA 505)				
Chlordane	ND(0.2)	ug/L	2	Pass

Sample Id: **S-0000343582** (Cont'd)

Testing Parameter	Result	Units	FDA Req.	P / F
Chemistry Lab (Cont'd)				
Toxaphene	ND(1)	ug/L	3	Pass
PCB 1016	ND(0.3)	ug/L	0.5	Pass
PCB 1221	ND(0.4)	ug/L	0.5	Pass
PCB 1232	ND(0.4)	ug/L	0.5	Pass
PCB 1242	ND(0.3)	ug/L	0.5	Pass
PCB 1248	ND(0.2)	ug/L	0.5	Pass
PCB 1254	ND(0.2)	ug/L	0.5	Pass
PCB 1260	ND(0.3)	ug/L	0.5	Pass
Date Analyzed	06-DEC-2006			
Semivolatile Organic Compounds (Ref: EPA 525.2)				
Date Prepared	04-DEC-2006			
Date Analyzed	08-DEC-2006			
Hexachlorocyclopentadiene	ND(0.1)	ug/L	50	Pass
EPTC	ND(0.5)	ug/L		
Dimethylphthalate	ND(2)	ug/L		
2,6-Dinitrotoluene	ND(0.5)	ug/L		
2,4 Dinitrotoluene	ND(0.5)	ug/L		
Molinate	ND(0.1)	ug/L		
Diethylphthalate	ND(2)	ug/L		
Propachlor	ND(0.1)	ug/L		
Hexachlorobenzene	ND(0.1)	ug/L	1	Pass
Simazine	ND(0.2)	ug/L	4	Pass
Atrazine	ND(0.2)	ug/L	3	Pass
Lindane	ND(0.1)	ug/L	0.2	Pass
Terbacil	ND(0.5)	ug/L		
Metribuzin	ND(0.1)	ug/L		
Alachlor	ND(0.1)	ug/L	2	Pass
Heptachlor	ND(0.1)	ug/L	0.4	Pass
Di-n-butylphthalate	ND(2)	ug/L		
Metolachlor	ND(0.1)	ug/L		
Thiobencarb	ND(0.1)	ug/L		
Aldrin	ND(0.1)	ug/L		
Heptachlor Epoxide	ND(0.1)	ug/L	0.2	Pass
Butachlor	ND(0.2)	ug/L		
p,p'-DDE (4,4'-DDE)	ND(0.5)	ug/L		
Dieldrin	ND(0.5)	ug/L		
Endrin	ND(0.1)	ug/L	2	Pass
Butylbenzylphthalate	ND(2)	ug/L		
bis(2-Ethylhexyl)adipate	ND(2)	ug/L	400	Pass
Methoxychlor	ND(0.1)	ug/L	40	Pass
bis(2-Ethylhexyl)phthalate	ND(2)	ug/L		
Benzo(a)pyrene	ND(0.1)	ug/L	0.2	Pass
Acetochlor	ND(0.5)	ug/L		
Volatiles: EDB and DBCP (Ref: EPA 504.1)				
Ethylene Dibromide (EDB)	ND(0.01)	ug/L	0.05	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	ND(0.01)	ug/L	0.2	Pass
Date Analyzed	05-DEC-2006			
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 502.2)				
Date Analyzed	06-DEC-2006			
Dichlorodifluoromethane	ND(0.5)	ug/L		

Testing Parameter	Result	Units	FDA Req.	P / F
Chemistry Lab (Cont'd)				
Chloromethane	ND(0.5)	ug/L		
Vinyl Chloride	ND(0.5)	ug/L	2	Pass
Bromomethane	ND(0.5)	ug/L		
Chloroethane	ND(0.5)	ug/L		
Trichlorofluoromethane	ND(0.5)	ug/L		
Trichlorotrifluoroethane	ND(0.5)	ug/L		
Methylene Chloride	ND(0.5)	ug/L	5	Pass
1,1-Dichloroethylene	ND(0.5)	ug/L	7	Pass
trans-1,2-Dichloroethylene	ND(0.5)	ug/L	100	Pass
1,1-Dichloroethane	ND(0.5)	ug/L		
2,2-Dichloropropane	ND(0.5)	ug/L		
cis-1,2-Dichloroethylene	ND(0.5)	ug/L	70	Pass
Chloroform	ND(0.5)	ug/L	100	Pass
Bromochloromethane	ND(0.5)	ug/L		
1,1,1-Trichloroethane	ND(0.5)	ug/L	200	Pass
1,1-Dichloropropene	ND(0.5)	ug/L		
Carbon Tetrachloride	ND(0.5)	ug/L	5	Pass
1,2-Dichloroethane	ND(0.5)	ug/L	5	Pass
Trichloroethylene	ND(0.5)	ug/L	5	Pass
1,2-Dichloropropane	ND(0.5)	ug/L	5	Pass
Bromodichloromethane	ND(0.5)	ug/L	100	Pass
Dibromomethane	ND(0.5)	ug/L		
cis-1,3-Dichloropropene	ND(0.5)	ug/L		
trans-1,3-Dichloropropene	ND(0.5)	ug/L		
1,1,2-Trichloroethane	ND(0.5)	ug/L	5	Pass
1,3-Dichloropropane	ND(0.5)	ug/L		
Tetrachloroethylene	ND(0.5)	ug/L	5	Pass
Chlorodibromomethane	ND(0.5)	ug/L	100	Pass
Chlorobenzene	ND(0.5)	ug/L	100	Pass
1,1,1,2-Tetrachloroethane	ND(0.5)	ug/L		
Bromoform	ND(0.5)	ug/L	100	Pass
1,1,1,2,2-Tetrachloroethane	ND(0.5)	ug/L		
1,2,3-Trichloropropane	ND(0.5)	ug/L		
1,3-Dichlorobenzene	ND(0.5)	ug/L		
1,4-Dichlorobenzene	ND(0.5)	ug/L	75	Pass
1,2-Dichlorobenzene	ND(0.5)	ug/L	600	Pass
Methyl-tert-Butyl Ether (MTBE)	ND(0.5)	ug/L		
Toluene	ND(0.5)	ug/L	1000	Pass
Ethyl Benzene	ND(0.5)	ug/L	700	Pass
m+p-Xylenes	ND(1)	ug/L		
o-Xylene	ND(0.5)	ug/L	10000	Pass
Styrene	ND(0.5)	ug/L	100	Pass
Isopropylbenzene (Cumene)	ND(0.5)	ug/L		
n-Propylbenzene	ND(0.5)	ug/L		
Bromobenzene	ND(0.5)	ug/L		
2-Chlorotoluene	ND(0.5)	ug/L		
4-Chlorotoluene	ND(0.5)	ug/L		
1,3,5-Trimethylbenzene	ND(0.5)	ug/L		
tert-Butylbenzene	ND(0.5)	ug/L		
1,2,4-Trimethylbenzene	ND(0.5)	ug/L		

Sample Id: **S-0000343582** (Cont'd)

Testing Parameter	Result	Units	FDA Req.	P / F
Chemistry Lab (Cont'd)				
sec-Butylbenzene	ND(0.5)	ug/L		
p-Isopropyltoluene (Cymene)	ND(0.5)	ug/L		
1,2,3-Trimethylbenzene	ND(0.5)	ug/L		
n-Butylbenzene	ND(0.5)	ug/L		
1,2,4-Trichlorobenzene	ND(0.5)	ug/L	70	Pass
Hexachlorobutadiene	ND(0.5)	ug/L		
1,2,3-Trichlorobenzene	ND(0.5)	ug/L		
Naphthalene	ND(0.5)	ug/L		
Benzene	ND(0.5)	ug/L	5	Pass
Total Trihalomethanes	ND(0.5)	ug/L	80	Pass
Uranium in Drinking Water by ICPMS (Ref: EPA-200.8)				
Uranium	ND(0.001)	mg/L		
Date Analyzed	06-DEC-2006			
Perchlorate, EPA 314.0				
Perchlorate	ND(1)	ug/L		
Date Analyzed	05-DEC-2006			

References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C4292	Multicomponent Pesticides and PCBs (Ref: EPA 505)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4412	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 502.2)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA-200.8)
C4497	Perchlorate, EPA 314.0

Certifications:

Michigan (# 0048)	Florida (# E-87552 FL)	California (# 01149 CA)
New York (# 11206)	Connecticut (# PH-0625)	New Jersey (# 62770)
South Carolina (# 81005)	Pennsylvania (# 68-00312)	Arizona (# AZ0655)
Hawaii		

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.